CATALOG NUMBER 4



INSTRUCTIONS AND TERMS

Satisfactory references should accompany all orders from firms not known to us.

To firms not satisfactorily rated, goods will be shipped C. O. D. when a deposit sufficient to cover transportation charges both ways accompanies the order.

Always give complete shipping instructions.

All prices are F. O. B. cars, Milwaukee.

2 per cent 10 days or net 30 days from date of invoice.

Interest at the rate of 6 per cent charged on all accounts past due.

Quotations subject to change without notice.

All orders are contingent upon strikes, accidents, delays or other occurrences beyond our control.

Merchandise shipped as ordered cannot be returned except by permission and subject to a reasonable charge for handling.

All claims to be acknowledged must be made within 10 days from date of invoice.

CATALOG NUMBER 4

American Fixture Company

A. C. RUNKEL and ED. R. KIESSLICH, Props.

MANUFACTURERS OF

"AMERICAN" ADJUSTABLE ELECTRIC LIGHT FIXTURES



Office and Factory

230-232 WEST WATER STREET
MILWAUKEE, WIS.

DIRECTIONS FOR ASSEMBLING AND ADJUSTING

Beginning with base, arrange the several parts required to make up the desired fixture, bringing the labeled part to the top; insert screws from left to right and bottom to top which will bring all thumbnuts to top and right, making it handy for adjustment; turn in screws securely so that all parts are drawn together and then gradually tighten up with thumb-nuts, moving arms of fixture until joints work freely.

Fasten fixture securely in its place, put on shade and lamp and begin adjusting at the top joint, working down until all joints move in harmony. Care should be taken not to have joints tighter than is necessary to hold the light, in place. When properly adjusted, fixture can be moved about without further adjustment.


HOW TO ASCERTAIN COST OF FIXTURES

Add the prices of parts (see page 5) required to make up the fixture desired, plus assembling and packing.

For example—Ceiling Fixture Number 107, on page 6:

| 1—Extension No. 0. 1—1½ inch Joint, complete 1—48 inch Taper 1—21 inch Arm 2—¾ inch Joints, complete @ 45¢ 1—½ inch Socket Holder | .75 1.90 .50 .90 |
|----------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Assembling, 3 joints, @ 5¢ | .15 |

"American" Adjustable Fixtures are furnished to fit ½ inch sockets, unless otherwise ordered; when ½ inch sockets are required it must be so specified on the order, and 5 cents added to the cost of the fixture.




SPECIAL FEATURE

The above illustration shows the universal joint used in all our fixtures (patent No. 1350423). The joint being open, permits the cord to pass through it, and placing the light at any angle, will not pinch or injure the cord in any manner.

By the use of thumb-nuts, these joints can be adjusted to move freely or can be drawn tight and fixture made stationary.

Special dished washers are used throughout, giving the greatest possible friction.


These 36 Parts make up any length and style of Fixture from 6 inches to 9 feet.




PRICES OF PARTS

EXTENSIONS

| EATENSI | UNS |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No. 1— 8 inch | No. 4—26 inch. \$1.70 No. 5—32 inch. 2.00 No. 6—38 inch. 2.30 |
| TAPER | s |
| No. 11 —12 inch | No. 9—24 inch. \$0.85 No. 8—36 inch. 1.30 No. 7—48 inch. 1.90 |
| | |
| TAPER AND | PLATE |
| No. 12 — 6 inch | No. 15—24 inch. \$1.20 No. 16—36 inch. 1.65 No. 17—48 inch. 2.25 |
| ARMS | |
| No. 23— 6 inch | No. 20—15 inch. \$0.40 No. 19—18 inch. .45 No. 18—21 inch. .50 |
| No. 25 — 1½ inch Universal Box. No. 26 — ¾ inch Universal Box. No. 27 — Large Screw and Nut. No. 28 — Small Screw and Nut. No. 29 — ¾ inch Dished Washer No. 30 — 1½ inch Washer No. 31 — ½ inch Socket Holder No. 31 — ½ inch Socket Holder No. 32 — ½ inch Unilet Connection No. 33 — 1½ inch Spreader No. 34 — ¾ inch Spreader No. 35 — 8x8 inch Iron Base. No. 36 — 6½x6½ inch Iron Base. ¾ inch Double Arm Connection 1½ inch Double Arm Connection ½ inch Universal Joint, Complete 1½ inch Universal Joint, Complete Assembling, Per Joint Packing—Fixtures, not exceeding 4 feet in Fixtures, exceeding 4 feet in leng Double Fixtures, not exceeding 4 feet Portables, with 6½x6½ inch base Portables, with 8 x8 inch base | $\begin{array}{c} 12\\ 06\\ 04\\ 02\\ 04\\ 15\\ 20\\ 30\\ 04\\ 08\\ 08\\ 08\\ 200\\ 1.5\\ 1.00\\ 25\\ 05\\ 1.5\\ 1.00\\ 2.00\\ 1.5\\ 1.00\\ 2.00\\ 1.5\\ 1.00\\ 2.00\\ 1.5\\ 1.00\\ 2.00\\ 1.5\\ 1.00\\ 2.00\\ 1.5\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\ 1.00\\$ |





Section of Automatic Screw Machines, Luther Grinder Manufacturing Co., Milwaukee, Wis.


CEILING FIXTURES


| | | | | | | | Leng | th to | |
|-----|-------|-------|----|-----|----|-------|-------|-------|--------|
| No. | Exte | nsion | Ta | per | 1 | Arm | Soc | ket | Price |
| 101 | 2 5/8 | in. | 3 | ft. | 1 | in. | 4 1/2 | ft. | \$4.40 |
| 103 | 2 5/8 | in. | 3 | ft. | 2 | l in. | 5 | ft. | 4.50 |
| 105 | 2 5/8 | in. | 4 | ft. | 15 | in. | 5 1/2 | ft. | 5.00 |
| 107 | 2 5/8 | in. | 4 | ft. | 21 | l in. | 6 | ft. | 5.10 |
| 109 | 8 | in. | 4 | ft. | 21 | l in. | 6 1/2 | ft. | 5.30 |
| 111 | 14 | in. | 4 | ft. | 21 | l in. | 7 | ft. | 5.50 |
| 113 | 20 | in. | 4 | ft. | 21 | l in. | 7 ½ | ft. | 5.70 |
| 115 | 26 | in. | 4 | ft. | 21 | l in. | 8 | ft. | 6.25 |
| 117 | 32 | in. | 4 | ft. | 21 | l in. | 8 1/2 | ft. | 6.55 |
| 119 | 38 | in. | 4 | ft. | 21 | l in. | 9 | ft. | 6.85 |

The above prices do not include socket, shade or wiring.

"American" Adjustable Fixtures are highest quality in every respect, they are thoroughly insulated, comply with National Code requirements and are listed as "Approved Fittings."

To get the best results out of night work is to have "American" Adjustable Lighting Fixtures that will put the light where it is needed.





Section of Stamping Presses, Cutler-Hammer Manufacturing Co., Milwaukee, Wis.


MACHINE FIXTURES


| No. | No. of Joints | Taper & Plate | Length of Arms | Lengt Sock | | Price |
|-----|------------------|------------------|-------------------|---------------|-----|--------|
| 181 | 2 | 2 in. | 3 in. | 6 | in. | \$1.95 |
| 183 | 3 | 2 in. | 6 & 3 in. | 12 | in. | 2.70 |
| 185 | 4 | 2 in. | 9, 6 & 3 in. | 21 18 | in. | 3.50 |
| 187 | 5 | 2 in. Taper | 12, 9, 6 & 3 in. | 33 24 | in. | 4.35 |
| 182 | 2 | 7 in. | | 111/2 | in | 2.45 |
| 184 | 3 | 7 in. | 6 in. | 17 1/2 | | 3.20 |
| 186 | 4 | 7 in. | . 6 & 6 in. | 23 1/2 | | 3.95 |
| 188 | 5 | 7 in. | 6, 6 & 6 in. | 29 1/2 | | 4.70 |

Any length of arms may be selected to suit requirement, at an additional cost of 5 cents for each 3 inches.

The above prices do not include socket, shade or wiring.

[&]quot;American" Adjustable Fixtures have an entirely new type of Adjustable Universal Joints. (Patent No. 1350423). The two or more Universal Joints in a fixture make it possible to get a concentrated light upon any desired spot.





Section of Drafting Room, showing Double Arm Ceiling Fixtures.

DOUBLE ARM CEILING FIXTURES

| No. | Extension | Tapers | Arms | Price |
|-----|---------------|--------|------------|---------|
| 141 | 20 in. | 3 ft. | 3 & 15 in. | \$11.25 |
| No. | Taper and Pla | te | Arms | Price |
| 142 | 2 ft. | | 18 & 9 in. | \$7.15 |

Prices quoted on application on any desired length.

The above prices do not include socket, shade or wiring.

"American" Adjustable Fixtures are the latest product for lighting the factory, office, home or any place where a good concentration of light is desired.

By means of our New Universal Joint, the light may be placed in any position and at any angle, and may be freely moved about or be secured in one position by means of thumb nuts.





Section of Drafting Room, Allis-Chalmers Mfg. Co., Milwaukee, Wis.

Taper 2 feet, Arms 12, 6 & 3 inches, 3/8 inch Socket Holder, Length to Socket

WALL BRACKETS


Illustrations on opposite page show Wall Brackets with an additional 3 inch arm in center, making the fixture more flexible. This additional small arm may be added to any fixture where more flexibility is needed.


| No. | Taper | Arms | Length to Socket | Price |
|-----|--------|------------|------------------|--------|
| 350 | 7 in. | 3 & 6 in. | 20 ½ in. | \$3.90 |
| 352 | 12 in. | 3 & 9 in. | 27 in. | 4.10 |
| 354 | 12 in. | 3 & 12 in. | 30 in. | 4.15 |
| 356 | 18 in. | 3 & 12 in. | 36 in. | 4.30 |
| 358 | 18 in. | 3 & 15 in. | 39 in. | 4.35 |
| 360 | 18 in. | 3 & 18 in. | 42 in. | 4.40 |
| 362 | 24 in. | 3 & 15 in. | 45 in. | 4.55 |
| 364 | 24 in. | 3 & 18 in. | 48 in. | 4.60 |
| 366 | 24 in. | 3 & 21 in. | 51 in. | 4.75 |

The above prices do not include socket, shade or wiring.

"American" Adjustable Fixtures have the cord entirely enclosed within the fixture, and no amount of moving can injure the insulation, at the same time dispensing with the unsightly and dangerous drop cords.

A fixture that fills every requirement. Indispensable and inexpensive.





Section of Tool Room, Clum Manufacturing Co., Milwaukee, Wis.

FLOOR AND BENCH PORTABLES

| No. | Base | Taper & Plate | Arm | Price |
|-----|---------------|---------------|-------------|------------|
| 301 | 6 ½ x6 ½ in. | 6 in. | 9 in. | 3.85\$4.35 |
| 303 | 6 ½ x6 ½ in. | 12 in. | 12 in. | 4.05 4.55 |
| 305 | 6 ½ x6 ½ in. | 18 in. | 15 in. | 4.25 4.75 |
| 307 | 8 x8 in. | 2 ft. | 18 in. | 5.20 6.20 |
| 309 | 8 x8 in. | 3 ft. | 21 in. | 5.70 6.70 |
| 311 | 8 x8 in. | 4 ft. | 21 in. | 6.30 7.30 |
| 302 | 6 ½ x 6 ½ in. | 6 in. | 6 & 3 in. | 4.50 5.00 |
| 304 | 6 ½ x 6 ½ in. | 12 in. | 6 & 6 in. | 4.70 5.20 |
| 306 | 6 ½ x 6 ½ in. | 18 in. | 9 & 6 in. | 4.90 5.40 |
| 308 | 8 x8 in. | 2 ft. | 9 & 9 in. | 5.85 6.85 |
| 310 | 8 x8 in. | 3 ft. | 12 & 9 in. | 6.35 7.35 |
| 312 | 8 x8 in. | 4 ft. | 12 & 12 in. | 7.00 8.00 |

The above prices do not include socket, shade or wiring.


"American" Adjustable Fixtures are made in all styles to suit any requirement of localized direct lighting. Ceiling Fixtures, Wall Brackets, Floor Fixtures, Bench Fixtures, Machine Fixtures, and Portables.

Considering their particular usefulness and convenience, they are the cheapest as well as the best lighting fixtures on the market.









Section of Stitching Room, Edmonds Shoe Co., Milwaukee, Wis.


BENCH FIXTURES

| No. | Taper & Plate | Arm | Price |
|-----|---------------|--------|--------|
| 201 | 6 in. | 9 in. | \$2.25 |
| 203 | 6 in. | 12 in. | 2.30 |
| 205 | 6 in. | 15 in. | 2.35 |
| 207 | 6 in. | 18 in. | 2.40 |
| 209 | 6 in. | 21 in. | 2.45 |
| 211 | 12 in. | 12 in. | 2.45 |
| 213 | 12 in. | 15 in. | 2.50 |
| 215 | 12 in. | 18 in. | 2.55 |
| 217 | 12 in. | 21 in. | 2.60 |
| 219 | 18 in. | 15 in. | 2.65 |
| 221 | 18 in. | 18 in. | 2.70 |
| 223 | 18 in. | 21 in. | 2.75 |
| | | | |

The above prices do not include socket, shade or wiring.

"American" Adjustable Fixtures are finished in Olive Green Baked Enamel, giving them a neat and pleasing appearance.

By use of these fixtures the light can be so adjusted as to fully light the work and at the same time entirely shield the eyes of the operator.





Section of Sewing Room, Cohen Bros. Co., Milwaukee, Wis.

BENCH FIXTURES

| No. | Arm | Length to Socket | Price |
|-----|---------------|------------------|--------|
| 250 | 9 in. | 11 in. | \$1.85 |
| 252 | 12 in. | 14 in. | 1.90 |
| 254 | 15 in. | 17 in. | 1.95 |
| 256 | 18 in. | 20 in. | 2.00 |
| 258 | 21 in. | 23 in. | 2.05 |
| 251 | 6 & 6 in. | 14 in. | 2.55 |
| 253 | 9 & 6 in. | 17 in. | 2.60 |
| 255 | 9 & 9 in. | 20 in. | 2.65 |
| 257 | 12 & 9 in. | 23 in. | 2.70 |
| 276 | 9, 6 & 3 in. | 20 in. | 3.30 |
| 278 | 12, 6 & 3 in. | 23 in. | 3.35 |
| 280 | 12, 9 & 3 in. | 26 in. | 3.40 |
| 282 | 12, 9 & 6 in. | 29 in. | 3.45 |

The above prices do not include socket, shade or wiring.

[&]quot;American" Adjustable Fixtures afford such complete adjustment that the lamps can be placed in any conceivable position with the rays of light directed exactly where wanted and shades affording perfect protection to the eyes.









Section of Working Room, Blumenfeld-Locher Co., Wholesale Millinery, Milwaukee.

BENCH FIXTURES

| No. | Таре | er & Plate | Arms | Price |
|-----|------|------------|--------|--------|
| 202 | | 6 in. | 9 in. | \$4.55 |
| 204 | | 6 in. | 12 in. | 4.65 |
| 206 | | 6 in. | 15 in. | 4.75 |
| 208 | | 6 in. | 18 in. | 4.85 |
| 210 | | 6 in. | 21 in. | 4.95 |
| 212 | | 12 in. | 12 in. | 4.80 |
| 214 | | 12 in. | 15 in. | 4.90 |
| 216 | | 12 in. | 18 in. | 5.00 |
| 218 | | 12 in. | 21 in. | 5.10 |
| 220 | | 18 in. | 15 in. | 5.05 |
| 222 | | 18 in. | 18 in. | 5.15 |
| 224 | | 18 in. | 21 in. | 5.25 |

The above prices do not include socket, shade or wiring.

[&]quot;American" Adjustable Fixtures are furnished to fit ½ inch sockets, unless otherwise ordered; when ½ inch sockets are required it must be so specified on the order, and 5 cents added to the cost of the fixture.




Special "American" Adjustable Fixtures.

SHADES

Recommended for use on "American" Adjustable Fixtures

No. 027 PARABOLA



Swivel Lock Collar.

Frosted Aluminum Inside.

7 in., Green Enamel.....Each, \$0.75

No. 36 PEAR SHAPE SHADE



Swivel Lock Collar.

Frosted Aluminum Inside.

Green Enamel..........Each \$0.50

No. 026 DEEP CONE SHADE



Lock Collar.

Frosted Aluminum Inside.

7 in., Green Enamel.....Each, \$0.70

No. 15 SPECIAL SHADE



Frosted Aluminum Inside.

Green Enamel Outside.

The principal feature of this shade is that it concentrates the rays to a smaller area, producing a stronger light with a smaller lamp thereby producing a stronger light and reducing the consumption of current.

No. Diameter . Height Each 15 4 in. 4½ in. \$0.40

No. 8 DEEP CONE SHADE



For 21/4 in. Shade Holder.

White Enamel Inside.

8 in., Green Enamel.....Each, \$0.35 10 in., Green Enamel.....Each, 40

Discounts quoted on application. State quantity desired.

PRESS OF J. H. YEWDALE & SONS COMPANY MILWAUKEE